

# DRYING & STORAGE RACKS



2



4321 N. Knox Ave., Chicago IL, 60641



773.777.7100



[sales@dryingandstorageracks.com](mailto:sales@dryingandstorageracks.com)



[www.dryingandstorageracks.com](http://www.dryingandstorageracks.com)



A Division of the AWT World Trade Group

©2023 AWT World Trade, Inc. No part of this literature may be reproduced without written permission. Specifications are subject to change without notice. #LIT-1114 1/24/24

# TABLE OF CONTENTS

<b>SPECIALTY MODELS</b> .....	4
DR-18™ Series .....	4
Versa-Rack™ .....	5
Stack-Rack™ .....	5
<b>MID-RANGE MODELS</b> .....	6
DR-24-40A™ - DR-26-50™ .....	6
Tensor™ Series .....	8
<b>HEAVY-DUTY MODELS</b> .....	10
DR-32-40™ - DR-80-50™ .....	10
2" Spacing .....	11
Heat-Resistant .....	12
Heat-Resistant 2" Spacing .....	13
Optional Tandem Kits .....	14
<b>ROLLING STORAGE CARTS</b> .....	16
Frame-Mate™ .....	16
Rollin' Screen Racker™ .....	18
<b>DRYING CABINETS</b> .....	20
Dry-It™ .....	20
<b>SPECIFICATIONS</b> .....	22



# STORAGE SIMPLIFIED

Our economical specialty drying racks accommodate small, lightweight materials without the bells and whistles of our heavy-duty drying and storage solutions. Unlike standard racks, these feature a rigid construction that simplifies the process of putting projects up to dry.


These simple shelves feature high-quality, powder coated, welded steel.

## DR-18™ SERIES

- » Double-sided tabletop model maximizes storage while minimizing height.
- » Door hanger
- » Swivel casters
- » Tabletop, door mount, and floor models available




4




### DR-18-30WD

Over-the-top door hanger mounts instantly without drilling



### DR-18-50

Perfect for tabletops or where space is limited




### DR-18-100

Swivel casters allow portability and easy positioning




# VERSA-RACK™

- » Fewer shelves for smaller storage needs
- » Stabilizing design prevents materials from slipping off the rack
- » Designed for both horizontal and vertical placement



DR-16-8




DR-16-13

# STACK-RACK™


- » Versatile, modular combination options
- » Combine racks in groups of two or four as your storage needs grow
- » Each corner is reinforced by a thicker gauge wire providing extra stability, preventing materials from slipping off the rack



DR-18-25

Shown with optional  
caster kit

# MID-RANGE



## STORAGE ELEVATED

The Mid-range Rack-It™ Series storage racks are a ideal blend of economy and design. They provide maximum storage capacity with a compact build, allowing you to capitalize on every inch of your working environment. This mid-range series utilizes the same innovative design principles as the heavy-duty line, but optimized for lighter loads.

- » Powder coated, welded steel construction
- » Positive tension keeps shelves lifted
- » Rubber spacing bumpers
- » Open-ended design allows for oversized objects
- » Thick gauge wire provides strength and stability
- » 6x6" mesh opening on shelves

6

## OPTIONS & ACCESSORIES

- Extra rubber bumpers
- Rack assembly



**DR-24-50**

**MESH OPENINGS**

6.00 x 6.00"  
(15 x 15cm)

**RUBBER SPACERS**

1.00" (3cm) rubber spacers provide consistent shelf spacing for increased airflow


**SHELVES**

Powder coated for increased longevity

**CASTERS**

Casters provide easy shop mobility

**DR-24-80**




Featuring a new double frame design for greater storage capacity, our Mid-Range DR-24-80 includes features such as lightweight shelves that snap into place quickly and easily; rubber bumpers that maintain the proper shelf spacing, while all steel-construction provides a super sturdy frame. Its unique design allows narrow and rigid products, such as fiberboard, cardboard or plastic to extend beyond shelf size. This helps the units to be used as large screen print storage racks, rolling screen racks, or mobile poster racks.



MID-RANGE

# TENSOR™ SERIES

**MR1824**  
18.00 x 24.00"  
(46cm x 70cm) shelf size



8

Saturn's newly re-engineered Tensor™ Series combines both economy and mobility, which is perfect for commercial, educational, and institutional applications. The Tensor Series features deep trays and solid steel construction and two rubber shelf bumpers to allow sufficient space for airflow between the shelves. The rubber bumpers hold more weight and larger sheets, while also maintaining stability and proper shelf spacing.

- » **18.00 x 24.00" (46 x 70cm) and 20.00 x 26.00" (50 x 66cm) shelves easily hold card stock, posters, signs**
- » **Two rubber spacers increase stability, support extra weight and can hold longer substrates**
- » **Fast and easy assembly**





#### **SHELVES**

*Shelves hold card stock, posters, signs and frames*

#### **CONVENIENCE**


*Positive tension easily holds trays up*



#### **RUBBER SPACERS**

*Two Rubber spacers hold extra weight*


#### **MR1824D**



Tensor™ Series drying and storage racks feature a positive locking mechanism, called Original TrayLock, which holds the shelf firmly in place after it is lifted to adjust or move substrates. With four casters for easy mobility, the Tensor™ Series is invaluable in organizing production under the most restrictive shop or classroom configurations.

The double-sided configuration (as seen in the MR1824D), provides twice the drying and storage area.

# HEAVY-DUTY



The ultimate industrial drying and storage rack, our heavy-duty Rack-It™ Series line is designed to provide easy and sturdy storage. Decades of product refinement and industry expertise have culminated in this elevated rack. Every element of the heavy-duty shelves makes loading and unloading materials a breeze.

- » **Welded steel construction does not warp and provides adequate strength to heavy materials like metal or frames**
- » **Powder coated**
- » **Steel bumpers**
- » **Adjustable shelf tension lift**
- » **Models with 1.00" (3cm) or 2.00" (5cm) spacing between shelves available**

10

## OPTIONS & ACCESSORIES

- Extra welded bumper for additional shelf support
- Extra center brace on smaller models
- Shelf extenders
- Spring safety covers
- Rack assembly
- Tandem rack kit assembly



**SAFETY**  
Optional safety sleeve for springs



**STABILITY**  
Center brace and additional bumper support is standard with largest two models




HEAVY-DUTY

**DR-32-50**  
1.00" (3cm)  
Shelf Spacing



**SECURE**

*Ideally placed supports prevent substrates from falling from the rear*



**SPRINGS**

*Individual spring tension*



**STEEL BUMPERS**

*Outside bumper position maximizes shelf space*

**DR-50-50-25**

**2.00" (5cm) Shelf Spacing**

Rack-It™ heavy-duty units also come with non-warping shelves spaced at 2.00" (5cm) intervals (see Model DR-50-50-25, shown on left). The powder-coated shelf finish assures rust- and solvent-resistant performance for years of service.

For baking applications, heat-resistant models are available.

HEAVY-DUTY



HEAT RESISTANT

# HEAT RESISTANT

**DR-32-50HR**  
1.00" (3cm)  
Shelf Spacing



12





Rack-It™ Heat-Resistant heavy-duty drying racks all-steel construction and heat-resistant components deliver outstanding durability, even in harsh production environments - up to 500°F(260°C). To facilitate quick evaporation, Rack-It™ Heat-Resistant heavy-duty racks come with non-warping shelves. The powder-coated shelf finish offers rust- and solvent-resistant protection for years of trouble-free service.

- » **Rated for up to 500°F (260°C)**
- » **Especially suited for industrial drying, curing, or baking**
- » **Models with 1.00 (3cm) or 2.00" (5cm) spacing between shelves available**
- » **Shelf sizes from 22.00 x 32.00" (56 x 81 cm) to 52.00 x 80.00" (132x 203cm) available**



# OPTIONAL TANDEM KITS

A convenient new Tandem Rack kit allows users to turn two existing Rack-it™ Heavy-Duty Drying and Storage Racks into a fully functional side-by-side larger unit for use with large-format graphics and other oversize materials.

Screen printers working with large-format graphics such as banners, posters, and signage can face logistical challenges drying, moving, and storing these substrates within their facilities. AWT's Tandem Rack kit option lets printers expand their existing racks to meet these needs on a job-by-job basis, while retaining the option to easily reconfigure the racks back into single units at any time.

- » Turn two existing racks of the same size into a side-by-side unit for large format graphics
- » Side-by-side units can be easily moved to other locations
- » Can be easily reconfigured from multiple units to a single rack



**TANDEM RACK KIT**

*Two DR-36-50 racks  
combine to create an  
optional, larger AK-36-50  
Tandem Rack*



# STORAGE SECURED

Rolling storage carts are ideal for post-curing storage of POP displays and other rigid substrates, increasing efficiency in your workshop. These rolling storage carts are also an excellent choice for use as a screen printing frame drying rack, rolling poster rack, or as storage carts for large and heavy stock.



## FRAME-MATE™


Store frames in a mobile, easily-accessible cart crafted to accommodate a large range of frame sizes. Compact, sturdy construction means your shop will always have quick access to the frames in use while they are kept safe within the welded steel slots. Triangular slot design provides extra cart stability and prevents objects from tipping.

- » Open vertical wire dividers increase visibility
- » Store and move frames, pallets, or any rigid substrate
- » All-steel construction provide years of reliable service
- » Rust-resistant finish
- » Used with wood, aluminum, or roller frames
- » Recessed lip allows oversized storage up to 50.00 x 60.00" (127 x 152cm) OD
- » Frees-up floor space and improves setup times






RF-5060



**SHELVES**  
Outside "lip" maximizes  
usable shelf space



**DURABILITY**  
All-steel construction



**STORAGE**  
Stores wood, aluminum,  
and any rigid material  
up to 2.00" (5cm) thick

# ROLLIN' SCREEN RACKER™

RSR-31



*Shown with  
optional  
frames*




For delicate materials Saturn has an innovative drying and storage solution: Take out the shelves! This rack consists of brackets which securely hold frames or rigid parts and materials in place while they dry, providing you with the peace of mind that your projects will look exactly the same when you take them out as when you put them in.

- » Easily move multiple items from place to place
- » Units allow adjustable width
- » Welded steel construction
- » Non-scratching acrylic brackets provide an open-air drying solution for delicate materials.

## OPTIONS

- Rack assembly
- Optional Aluminum Brackets are designed to hold heavier items



DC-3038



## DRY-IT™

To elevate your print shop to the next level, use the Dry-It™ Screen Drying Cabinet. Designed for the highest-quality printing specifications, the well-insulated, fully-enclosed drying cabinet prevents pinholes and other flaws from occurring. Filtered heated airflow reduces drying time and increases productivity.






# DRYING CABINETS

- » Horizontal and vertical configurations available
- » Allows up to 10 shelves
- » Easy access to air filters
- » Digital temperature control
- » Standard temperature of up to 120°F (49°C)
- » Heavy-duty casters for mobility

## OPTIONS

- Stainless steel lining prevents rust and oxidation
- Double-sided brackets for smaller frames available for horizontal models
- Perforated shelf trays for smaller frames available for horizontal models
- High temperatures available

DC-5259V



**EFFECTIVE**


Fully insulated chamber

**SHELVES**

Maximum part width  
2.50" (6cm)

# RACK DIMENSIONS

22



To make sure you select a rack that fits your needs as well as the physical space you have to work with, we've compiled a list of dimensions for your convenience.

When looking at the diagram above, you will notice three different measurements: H1, H2, and H3.

H1: The unit's height with all shelves in their horizontal position, if applicable.

H2: Represents the maximum working height of the unit when the top shelf is raised completely

H3: The height of the stop bracket used to keep the shelf from traveling too far on our heavy duty industrial models. On mid-range and lightweight racks (DR-16-8 through DR-80-50), this measurement coincides with the angle of shelf elevation in its maximum safe position.


If you are unsure about which rack is best for your particular application, contact AWT and we'll be glad to assist you with your selection process.



## AWT DRYING &amp; STORAGE RACK DIMENSIONS

CATALOG NO.	LENGTH	WIDTH	HEIGHT		
			H1	H2	H3
DR-16-8	21.00" (53cm)	11.25 (53cm)	25.00" (64cm)	N/A	N/A
DR-16-13	21.00" (53cm)	11.25 (53cm)	43.25" (110cm)	N/A	N/A
DR-16-25	17.25" (44cm)	17.50" (44cm)	30.75" (78cm)	N/A	N/A
DR-18-25	19.25" (49cm)	12.00" (30cm)	28.25" (72cm)	N/A	N/A
DR-18-30	19.50" (49cm)	17.25" (44cm)	36.25" (92cm)	N/A	N/A
DR-18-30WD	19.25" (49cm)	17.25" (44cm)	39.75" (101cm)	N/A	N/A
DR-18-50	19.00" (46cm)	22.25" (57cm)	30.75" (78cm)	N/A	N/A
DR-18-100	19.00" (48cm)	22.00" (56cm)	63.00" (160cm)	N/A	N/A
DR-24-40A	25.00" (64cm)	23.75" (60cm)	44.25" (112cm)	53.00" (135cm)	N/A
DR-24-50	25.00" (64cm)	23.50" (60cm)	54.25" (137cm)	63.00" (160cm)	N/A
DR-24-80	25.00" (64cm)	39.50" (100cm)	44.00" (112cm)	53.00" (135cm)	N/A
DR-24-100	25.00" (64cm)	39.50" (100cm)	54.25" (137cm)	63.00" (160cm)	N/A
DR-26-40	27.00" (69cm)	26.25" (66cm)	44.25" (112cm)	53.00" (135cm)	N/A
DR-26-50	27.00" (69cm)	26.25" (66cm)	54.25" (137cm)	63.00" (160cm)	N/A
DR-26-80	27.00" (69cm)	44.75" (113cm)	44.00" (112cm)	53.00" (135cm)	N/A
DR-26-100	27.00" (69cm)	44.75" (113cm)	54.25" (137cm)	63.00" (160cm)	N/A
MR1824	25.00" (64cm)	23.50" (60cm)	44.00" (112cm)	53.00" (135cm)	N/A
MR182450	25.00" (64cm)	23.50" (60cm)	54.25" (137cm)	63.00" (160cm)	N/A
MR1824D	39.50" (100cm)	25.00" (64cm)	44.00" (112cm)	53.00" (135cm)	N/A
MR1824100D	39.50" (100cm)	25.00" (64cm)	54.25" (137cm)	63.00" (160cm)	N/A
MR2026	27.00" (69cm)	26.50" (67cm)	44.25" (112cm)	53.00" (135cm)	N/A
MR202650	27.00" (69cm)	26.50" (67cm)	54.25" (137cm)	63.00" (160cm)	N/A
MR2026D	44.75" (113cm)	27.00" (69cm)	44.00" (112cm)	53.00" (135cm)	N/A
MR2026100D	45.00" (114cm)	27.00" (69cm)	54.25" (137cm)	63.00" (160cm)	N/A
DR-32-40	35.25" (90cm)	28.50" (72cm)	48.75" (124cm)	66.75" (169cm)	59.75" (151cm)
DR-32-50	35.25" (90cm)	28.50" (72cm)	60.25" (153cm)	78.50" (199cm)	70.50" (179cm)
DR-36-40	38.50" (98cm)	32.50" (83cm)	48.75" (123cm)	71.00" (180cm)	59.50" (151cm)
DR-36-50	38.50" (98cm)	32.50" (83cm)	60.00" (152cm)	81.50" (207cm)	71.00" (180cm)
DR-46-40	49.75" (124cm)	36.00" (91cm)	49.00" (124cm)	72.50" (184cm)	59.75" (151cm)
DR-48-40	51.50" (123cm)	37.00" (94cm)	49.00" (124cm)	73.75" (187cm)	59.75" (151cm)
DR-48-50	51.50" (123cm)	37.00" (94cm)	60.00" (152cm)	85.25" (216cm)	71.00" (180cm)
DR-50-50	53.50" (136cm)	43.50" (111cm)	60.00" (152cm)	89.50" (227cm)	71.00" (180cm)
DR-55-50	58.25" (148cm)	48.00" (122cm)	59.75" (152cm)	93.00" (236cm)	71.00" (180cm)
DR-68-50	71.00" (185cm)	56.00" (142cm)	60.25" (153cm)	93.50" (237cm)	72.75" (185cm)
DR-80-50	83.25" (211cm)	58.50" (148cm)	60.25" (153cm)	98.25" (249cm)	72.75" (185cm)
RF-5060	49.00" (125cm)	30.25" (77cm)	42.50" (108cm)	NA	NA
RSR-31	31.00" (79cm)	14.50" (37cm)	61.50" (156cm)	N/A	N/A
RSR-31A	31.00" (79cm)	Refer to Spec. Chart	61.50" (156cm)	N/A	N/A
RSR-40	40.00" (102cm)	Refer to Spec. Chart	74.50" (189cm)	N/A	N/A
RSR-40A	40.00" (102cm)	Refer to Spec. Chart	74.50" (189cm)	N/A	N/A
DC-3038	48.00" (122cm)	38.50" (98cm)	46.00" (117cm)	NA	NA
DC-3038-220	48.00" (122cm)	38.50" (98cm)	46.00" (117cm)	N/A	N/A
DC-5259-220	74.25" (189cm)	50.25" (128cm)	64.50" (164cm)	N/A	N/A
DC-5473-220	90.00" (228cm)	72.25" (184cm)	45.50" (116cm)	N/A	N/A
DC-7698-220	114.50" (291cm)	97.50" (248cm)	46.00" (117cm)	N/A	N/A
DC-82132-220	Cal for Specifications			N/A	N/A
DC-82180-220				N/A	N/A
DC-5259V-220	74.25" (188cm)	50.25" (128cm)	64.50" (164cm)	N/A	N/A

# SPECIFICATIONS



## DR-18™ SERIES

CATALOG NO.	DESCRIPTION	LENGTH	WIDTH	SHELF SIZES	NO. OF SHELVES	MESH OPENINGS
DR-18-30	Tabletop, single-sided	19.25" (49cm)	17.25" (43cm)	12.50 x 18.00" (32 x 46cm)	30	6.00 x 10.00" (15 x 25cm)
DR-18-30WD	Door hanging	19.25" (49cm)	17.25" (43cm)	12.50 x 18.00" (32 x 46cm)	30	6.00 x 10.00" (15x 25cm)
DR-18-50	Tabletop, double-sided	19.00" (48cm)	22.25" (57cm)	11.00 x 18.00" (28 x 46cm)	50	6.00 x 10.00" (15 x 25cm)
DR-18-100	Floor model, Double sided, Portable	19.00" (48cm)	22.25" (57cm)	10.00 x 18.00" (30 X 46cm)	100	6.00 x 10.00" (15 x 25cm)

## VERSA-RACK™ \*

CATALOG NO.	DESCRIPTION	LENGTH	WIDTH	SHELF SIZES	NO. OF SHELVES	MESH OPENINGS
DR-16-8	Tabletop, single-sided, vertical or horizontal	21.00" (53cm)	11.25" (53cm)	7.50 x 19.00" (19 x 48cm)	8	N/A
DR-16-13	Single-sided, vertical or horizontal with wheels	21.00" (53cm)	11.25" (53cm)	7.50 x 19.00" (19 x 48cm)	13	N/A
DR-16-25	Tabletop, single-sided	17.25" (44cm)	17.50" (44cm)	12.50 x 16.00" (32 x 41cm)	25	4.50 x 12.25" (11 x 31cm)

\* All racks ship assembled via ground

## STACK-RACK™ \*

CATALOG NO.	DESCRIPTION	LENGTH	WIDTH	SHELF SIZES	NO. OF SHELVES	MESH OPENINGS
DR-18-25	Lightweight, modular drying-storage rack	19.25" (49cm)	12.00" (30cm)	12.00 x 18.50" (31 x 47cm)	25	6.00 x 5.75" (15 x 14cm)

\* Racks may accommodate larger objects, depending on size, shape and weight

## STACK-RACK™ HARDWARE KIT (sold separately) \*

CATALOG NO.	DESCRIPTION	COMPONENTS
RCA-1825	Hardware kit with casters	4 Casters, 4 Nuts, 4 Bolts, 3 wrenches

**MID-RANGE\***

CATALOG NO.	LENGTH	WIDTH	SHELF SIZES	NO. OF SHELVES	MAX. SUBSTRATE SIZES
<b>DR-24-40A</b>	25.00" (64cm)	23.50" (60cm)	18.00 x 24.00" (46x 61cm)	40	17.50 x 23.50" (45 x 60cm)
<b>DR-24-50</b>	25.00" (64cm)	23.50" (60cm)	18.00 x 24.00" (46x 61cm)	50	17.50 x 23.50" (45 x 60cm)
<b>DR-24-80</b>	39.50" (100cm)	25.00" (64cm)	18.00 x 24.00" (46x 61cm)	80	17.50 x 23.50" (45 x 60cm)
<b>DR-24-100</b>	39.50" (100cm)	25.00" (64cm)	18.00 x 24.00" (46x 61cm)	50	17.50 x 23.50" (45 x 60cm)
<b>DR-26-40</b>	27.00" (69cm)	26.50" (67cm)	20.00 x 26.00" (51 x 66cm)	40	19.50 x 25.50" (50 x 65cm)
<b>DR-26-50</b>	27.00" (69cm)	26.50" (67cm)	20.00 x 26.00" (51 x 66cm)	50	19.50 x 25.50" (50 x 65cm)
<b>DR-26-80</b>	44.75" (113cm)	27.00" (69cm)	20.00 x 26.00" (51 x 66cm)	80	19.50 x 25.50" (50 x 65cm)
<b>DR-26-100</b>	45.00" (114cm)	27.00" (69cm)	20.00 x 26.00" (51 x 66cm)	100	19.50 x 25.50" (50 x 65cm)

\* All racks under 150 lbs. ship ground

**TENSOR™ SERIES\*†**

CATALOG NO.	LENGTH	WIDTH	SHELF SIZE	NO. OF SHELVES	MAX. SUBSTRATE SIZES
<b>MR1824</b>	25.00" (64cm)	23.50" (60cm)	18.00 x 24.00" (46x 61cm)	40	17.50 x 23.50" (45 x 60cm)
<b>MR182450</b>	25.00" (64cm)	23.50" (60cm)	18.00 x 24.00" (46x 61cm)	50	17.50 x 23.50" (45 x 60cm)
<b>MR1824D</b>	39.50" (100cm)	25.00" (64cm)	18.00 x 24.00" (46x 61cm)	80	17.50 x 23.50" (45 x 60cm)
<b>MR1824100D</b>	39.50" (100cm)	25.00" (64cm)	18.00 x 24.00" (46x 61cm)	50	17.50 x 23.50" (45 x 60cm)
<b>MR2026</b>	27.00" (69cm)	26.50" (67cm)	20.00 x 26.00" (51 x 66cm)	40	19.50 x 25.50" (50 x 65cm)
<b>MR202650</b>	27.00" (69cm)	26.50" (67cm)	20.00 x 26.00" (51 x 66cm)	50	19.50 x 25.50" (50 x 65cm)
<b>MR2026D</b>	44.75" (113cm)	27.00" (69cm)	20.00 x 26.00" (51 x 66cm)	80	19.50 x 25.50" (50 x 65cm)
<b>MR2026100D</b>	45.00" (114cm)	27.00" (69cm)	20.00 x 26.00" (51 x 66cm)	100	19.50 x 25.50" (50 x 65cm)

\* All racks under 150 lbs. ship ground

† Tensor Series comes with two rubber bumpers per shelf

## HEAVY-DUTY 1.00" (3CM) SPACING

CATALOG NO.	LENGTH	WIDTH	SHELF SIZES	NO. OF SHELVES	MESH OPENINGS
DR-32-40	35.25" (90cm)	28.50" (72cm)	22.50 x 32.00" (57 x 81cm)	40	4.50 x 4.50" (11 x 11cm)
DR-32-50	35.25" (90cm)	28.50" (72cm)	22.50 x 32.00" (57 x 81cm)	50	4.50 x 4.50" (11 x 11cm)
DR-36-40	38.50" (98cm)	32.50" (83cm)	26.50 x 35.50" (67 x 90cm)	40	4.50 x 4.50" (11 x 11cm)
DR-36-50	38.50" (98cm)	32.50" (83cm)	26.50 x 35.50" (67 x 90cm)	50	4.50 x 4.50" (11 x 11cm)
DR-48-40	51.50" (130cm)	37.00" (94cm)	31.00 x 48.50" (79 x 123cm)	40	4.50 x 4.50" (11 x 11cm)
DR-48-50	51.50" (130cm)	37.00" (94cm)	31.00 x 48.50" (79 x 123cm)	50	4.50 x 4.50" (11 x 11cm)
DR-50-50	53.50" (136cm)	43.50" (110cm)	37.50 x 50.50" (95 x 128cm)	50	4.50 x 5.00" (11 x 12cm)
DR-55-50	48.00" (123cm)	58.25" (148cm)	42.00 x 55.50" (107 x 141cm)	50	4.50 x 5.00" (11 x 12cm)
DR-68-50	71.00" (180cm)	56.00" (142cm)	45.75 x 68.25" (116 x 173cm)	50	4.50 x 5.00" (11 x 12cm)
DR-80-50	83.25" (211cm)	58.50" (148cm)	52.00 x 80.00" (132 x 203cm)	50	4.75 x 5.00" (12 x 12cm)
<b>LIGHTWEIGHT APPLICATIONS</b>					
DR-46-40	48.75" (124cm)	36.00 (91cm)	30.00 x 46.00" (76 x 117cm)	40	7.50 x 10.00" (19 x 26cm)

26

## HEAVY-DUTY 2.00" (5CM) SPACING

CATALOG NO.	LENGTH	WIDTH	SHELF SIZES	NO. OF SHELVES	MESH OPENINGS
DR-32-40-20	34.75" (88cm)	28.50" (72cm)	22.50 x 32.00" (57 x 81cm)	20	4.50 x 4.50" (11 x 11cm)
DR-32-50-25	34.75" (88cm)	28.50" (72cm)	22.50 x 32.00" (57 x 81cm)	25	4.50 x 4.50" (11 x 11cm)
DR-36-40-20	38.50" (98cm)	32.50" (83cm)	26.50 x 35.50" (67 x 90cm)	40	4.50 x 4.50" (11 x 11cm)
DR-36-50-25	38.50" (98cm)	32.50" (83cm)	26.50 x 35.50" (67 x 90cm)	25	4.50 x 4.50" (11 x 11cm)
DR-48-40-20	51.25" (130cm)	37.00" (94cm)	31.00 x 48.50" (79 x 123cm)	20	4.50 x 4.50" (11 x 11cm)
DR-48-50-25	51.25" (130cm)	37.00" (94cm)	31.00 x 48.50" (79 x 123cm)	25	4.50 x 4.50" (11 x 11cm)
DR-50-50-25	51.25" (130cm)	43.50" (110cm)	37.50 x 50.50" (95 x 128cm)	25	4.50 x 5.00" (11 x 12cm)
DR-55-50-25	58.00" (148cm)	40.00" (123cm)	42.00 x 55.50" (107 x 141cm)	25	5.00 x 5.00" (12 x 12cm)
DR-68-50-25	71.25" (181cm)	56.00" (142cm)	45.75 x 68.25" (116 x 173cm)	25	4.50 x 5.00" (11 x 12cm)
DR-80-50-25	83.25" (211cm)	58.50" (148cm)	52.00 x 80.00" (132 x 203cm)	25	4.75 x 5.00" (12 x 12cm)

NOTE: Specifications are subject to change without notice.

## HEAT RESISTANT 1.00" (3CM) SPACING \*

CATALOG NO.	LENGTH	WIDTH	SHELF SIZES	NO. OF SHELVES	MESH OPENINGS
DR-32-40HR	35.25" (90cm)	28.50" (72cm)	22.50 x 32.00" (57 x 81cm)	40	4.50 x 4.50" (11 x 11cm)
DR-32-50HR	35.25" (90cm)	28.50" (72cm)	22.50 x 32.00" (57 x 81cm)	50	4.50 x 4.50" (11 x 11cm)
DR-36-40HR	38.50" (98cm)	32.50" (83cm)	26.50 x 35.50" (67 x 90cm)	40	4.50 x 4.50" (11 x 11cm)
DR-36-50HR	38.50" (98cm)	32.50" (83cm)	26.50 x 35.50" (67 x 90cm)	50	4.50 x 4.50" (11 x 11cm)
DR-48-40HR	51.50" (130cm)	37.00" (94cm)	31.00 x 48.50" (79 x 123cm)	40	4.50 x 4.50" (11 x 11cm)
DR-48-50HR	51.50" (130cm)	37.00" (94cm)	31.00 x 48.50" (79 x 123cm)	50	4.50 x 4.50" (11 x 11cm)
DR-50-50HR	53.50" (136cm)	43.50" (110cm)	37.50 x 50.50" (95 x 128cm)	50	4.50 x 5.00" (11 x 12cm)
DR-55-50HR	48.00" (123cm)	58.25" (148cm)	42.00 x 55.50" (107 x 141cm)	50	4.50 x 5.00" (11 x 12cm)
DR-68-50HR	71.00" (180cm)	56.00" (142cm)	45.75 x 68.25" (116 x 173cm)	50	4.50 x 5.00" (11 x 12cm)
DR-80-50HR	83.25" (211cm)	58.50" (148cm)	52.00 x 80.00" (132 x 203cm)	50	4.75 x 5.00" (12 x 12cm)

## HEAT RESISTANT 2.00" (5CM) SPACING \*

CATALOG NO.	LENGTH	WIDTH	SHELF SIZES	NO. OF SHELVES	MESH OPENINGS
DR-32-40-20HR	34.75" (88cm)	28.50" (72cm)	22.50 x 32.00" (57 x 81cm)	20	4.50 x 4.50" (11 x 11cm)
DR-32-50-25HR	34.75" (88cm)	28.50" (72cm)	22.50 x 32.00" (57 x 81cm)	25	4.50 x 4.50" (11 x 11cm)
DR-36-40-20HR	38.50" (98cm)	32.50" (83cm)	26.50 x 35.50" (67 x 90cm)	40	4.50 x 4.50" (11 x 11cm)
DR-36-50-25HR	38.50" (98cm)	32.50" (83cm)	26.50 x 35.50" (67 x 90cm)	25	4.50 x 4.50" (11 x 11cm)
DR-48-40-20HR	51.25" (130cm)	37.00" (94cm)	31.00 x 48.50" (79 x 123cm)	20	4.50 x 4.50" (11 x 11cm)
DR-48-50-25HR	51.25" (130cm)	37.00" (94cm)	31.00 x 48.50" (79 x 123cm)	25	4.50 x 4.50" (11 x 11cm)
DR-50-50-25HR	51.25" (130cm)	43.50" (110cm)	37.50 x 50.50" (95 x 128cm)	25	4.50 x 5.00" (11 x 12cm)
DR-55-50-25HR	58.00" (148cm)	40.00" (123cm)	42.00 x 55.50" (107 x 141cm)	25	5.00 x 5.00" (12 x 12cm)
DR-68-50-25HR	71.25" (181cm)	56.00" (142cm)	45.75 x 68.25" (116 x 173cm)	25	4.50 x 5.00" (11 x 12cm)
DR-80-50-25HR	83.25" (211cm)	58.50" (148cm)	52.00 x 80.00" (132 x 203cm)	25	4.75 x 5.00" (12 x 12cm)

\* Weight includes skid. Skid weights may vary and are subject to change.

## OPTIONAL TANDEM \*

CATALOG NO.	INDIVIDUAL RACK SHELF SIZES	NO. OF SHELVES	MAXIMUM SHEET SIZE	MESH OPENINGS
AK-32-40	22.50 x 32.00" (57 x 81cm)	40	22.00 x 67.00" (56 x 170cm)	4.50 x 4.50" (11 x 11cm)
AK-32-50	22.50 x 32.00" (57 x 81cm)	50	22.00 x 67.00" (56 x 170cm)	4.50 x 4.50" (11 x 11cm)
AK-36-40	26.50 x 35.50" (67 x 90cm)	40	26.00 x 73.00" (66x 186cm)	4.50 x 4.50" (11 x 11cm)
AK-36-50	26.50 x 35.50" (67 x 90cm)	50	26.00 x 73.00" (66x 186cm)	4.50 x 4.50" (11 x 11cm)
AK-46-40	30.00 x 46.00" (76 x 11cm)	40	29.50 x 94.00" (75 x 239cm)	4.50 x 4.50" (11 x 11cm)
AK-48-40	31.00 x 48.50" (79 x 123cm)	40	30.50 x 99.00" (78 X 252cm)	4.50 x 4.50" (11 x 11cm)
AK-48-50	31.00 x 48.50" (79 x 123cm)	50	30.50 x 99.00" (78 X 252cm)	4.50 x 4.50" (11 x 11cm)
AK-50-50	37.50 x 50.50" (95 x 128cm)	50	37.00 x 103.0" (94 x 262cm)	4.50 x 5.00 " (11 x 12cm)
AK-55-50	42.00 x 55.50" (107 x 141cm)	50	37.00 x 103.0" (94 x 262cm)	5.00 x 5.00" (12 x 12cm)
AK-68-50	45.75 x 68.25" (116 x 173cm)	50	45.25 x 138.50" (115 x 352cm)	4.50 x 5.00 " (11 x 12cm)
AK-80-50	52.00 x 80.00" (132 x 203cm)	50	51.50 x 162.00" (131 x 412cm)	4.75 x 5.00" (12 x 12cm)

\*Optional Tandem Rack Kit permits racks of the same size to be joined together as one complete rack

## FRAME-MATE™

CATALOG NO.	LENGTH	WIDTH	NO. OF SLOTS	SPACE BETWEEN SLOTS
RF-5060	49.00" (125cm)	30.25" (77cm)	12	2.25" (6cm)

28

## ROLLIN' SCREEN RACKER™

CATALOG NO.	DESCRIPTION	LENGTH	MIN. WIDTH	MAX WIDTH	NO. OF SHELVES
RSR-31	Horizontal screen frame storage rack with <i>acrylic</i> shelf brackets	31.00" (79cm)	14.50" (37cm)	45.50" (116cm)	20
RSR-31A	Horizontal screen frame storage rack with <i>aluminum</i> shelf brackets	31.00" (79cm)	14.50" (37cm)	45.50" (116cm)	20
RSR-40	Horizontal screen frame storage rack with <i>acrylic</i> shelf brackets	40.00" (102cm)	14.50" (37cm)	45.50" (116cm)	25
RSR-40A	Horizontal screen frame storage rack with <i>aluminum</i> shelf brackets	40.00" (102cm)	14.50" (37cm)	45.50" (116cm)	25



**DRY-IT™ HORIZONTAL**

CATALOG NO.	LENGTH	WIDTH	NUMBER OF DOORS	MAXIMUM FRAME O.D.	ELECTRICAL
DC-3038	48.00" (122cm)	38.50" (98cm)	Single Door	30.00 x 38.00" (76 x 97cm)	115V, 1Ph, 60Hz
DC-3038-220	48.00" (122cm)	38.50" (98cm)	Single Door	30.00 x 38.00" (76 x 97cm)	220V, 1Ph, 50/60Hz
DC-5259-220	74.25" (189cm)	50.25" (128cm)	Double Door	52.00 x 59.00" (132 x 150cm)	220V, 1Ph, 50/60Hz
DC-5473-220	90.00" (228cm)	72.25" (184cm)	Double Door	54.00 x 73.00" (137 x 186cm)	220V, 1Ph, 50/60Hz
DC-7698-220	114.50" (291cm)	97.50" (248cm)	Double Door	76.00 x 98.00" (193 x 249cm)	220V, 1Ph, 50/60Hz
DC-82132-220	CALL FOR SPECIFICATIONS		Double Door	82.00 x 132.00" (209 x 336cm)	220V, 1Ph, 50/60Hz
DC-82180-220			Double Door	82.00 x 180.00" (209 x 457cm)	220V, 1Ph, 50/60Hz

**DRY-IT™ VERTICAL**

CATALOG NO.	LENGTH	WIDTH	NUMBER OF DOORS	MAXIMUM FRAME O.D.	ELECTRICAL
DC-5259V-220	74.25" (188cm)	50.25" (128cm)	Double Door	52.00 x 59.00" (132 x 150cm)	220V, 1Ph, 50/60Hz



*A Division of the AWT World Trade Group*



4321 N. Knox Ave.  
Chicago IL, 60641



773.777.7100



[dryingandstorageracks.com](http://dryingandstorageracks.com)



[sales@dryingandstorageracks.com](mailto:sales@dryingandstorageracks.com)