

DRYING & STORAGE RACKS



2



4321 N. Knox Ave., Chicago IL, 60641



773.777.7100



sales@dryingandstorageracks.com



www.dryingandstorageracks.com



A Division of the AWT World Trade Group

©2024 AWT World Trade, Inc. No part of this literature may be reproduced without written permission. Specifications are subject to change without notice. #LIT-1114 4/30/24

TABLE OF CONTENTS

| | |
|------------------------------------|----|
| SPECIALTY MODELS | 4 |
| DR-18 Series | 4 |
| Versa-Rack | 5 |
| Stack-Rack | 5 |
| MID-RANGE MODELS | 6 |
| DR-24-40A - DR-26-50 | 6 |
| Tensor™ Series | 8 |
| HEAVY-DUTY MODELS | 10 |
| DR-32-40 - DR-80-50 | 10 |
| 2" Spacing | 11 |
| Optional Tandem Kits | 12 |
| Heat-Resistant | 14 |
| Heat-Resistant 2" Spacing | 15 |
| ROLLING STORAGE CARTS | 16 |
| Frame-Mate™ | 16 |
| Rollin' Screen Racker™ | 18 |
| DRYING CABINETS | 20 |
| Dry-It™ | 20 |
| SPECIFICATIONS | 22 |



STORAGE SIMPLIFIED

Our economical specialty drying racks accommodate small, lightweight materials without the bells and whistles of our heavy-duty drying and storage solutions. Unlike standard racks, these feature a rigid construction that simplifies the process of putting projects up to dry.


These simple shelves feature high-quality, powder coated, welded steel.

DR-18 SERIES

- » Double-sided tabletop model maximizes storage while minimizing height.
- » Door hanger
- » Swivel casters
- » Tabletop, door mount, and floor models available




4




DR-18-30WD

Over-the-top door hanger mounts instantly without drilling



DR-18-50

Perfect for tabletops or where space is limited



DR-18-100


Swivel casters allow portability and easy positioning

VERSA-RACK™

- » Fewer shelves for smaller storage needs
- » Stabilizing design prevents materials from slipping off the rack
- » Designed for both horizontal and vertical placement



DR-16-13




DR-16-25

STACK-RACK™


- » Versatile, modular combination options
- » Combine racks in groups of two or four as your storage needs grow
- » Each corner is reinforced by a thicker gauge wire providing extra stability, preventing materials from slipping off the rack



DR-18-25

Shown with optional
caster kit

MID-RANGE



STORAGE ELEVATED

The Mid-range Rack-It™ Series storage racks are a ideal blend of economy and design. They provide maximum storage capacity with a compact build, allowing you to capitalize on every inch of your working environment. This mid-range series utilizes the same innovative design principles as the heavy-duty line, but optimized for lighter loads.

- » Powder coated, welded steel construction
- » Positive tension keeps shelves lifted
- » Rubber spacing bumpers
- » Open-ended design allows for oversized objects
- » Thick gauge wire provides strength and stability
- » 6x6" mesh opening on shelves

6

OPTIONS & ACCESSORIES

- Extra rubber bumpers
- Rack assembly



DR-24-50

MESH OPENINGS
6.00 x 6.00"
(15 x 15cm)

RUBBER SPACERS
1.00" (2.5cm) rubber spacers provide consistent shelf spacing for increased airflow

SHELVES
Powder coated for increased longevity

CASTERS
Casters provide easy shop mobility


DR-24-80

Featuring a new double frame design for greater storage capacity, our Mid-Range DR-24-80 includes features such as lightweight shelves that snap into place quickly and easily; rubber bumpers that maintain the proper shelf spacing, while all steel-construction provides a super sturdy frame. Its unique design allows narrow and rigid products, such as fiberboard, cardboard or plastic to extend beyond shelf size. This helps the units to be used as large screen print storage racks, rolling screen racks, or mobile poster racks.

MID-RANGE

TENSOR™ SERIES


MR1824
18.00 x 24.00"
(46cm x 70cm) shelf size



8

Saturn's newly re-engineered Tensor™ Series combines both economy and mobility, which is perfect for commercial, educational, and institutional applications. The Tensor Series features deep trays and solid steel construction and two rubber shelf bumpers to allow sufficient space for airflow between the shelves. The rubber bumpers hold more weight and larger sheets, while also maintaining stability and proper shelf spacing.

- » **18.00 x 24.00" (46 x 70cm) and 20.00 x 26.00" (50 x 66cm) shelves easily hold card stock, posters, signs**
- » **Two rubber spacers increase stability, support extra weight and can hold longer substrates**
- » **Fast and easy assembly**




SHELVES

Shelves hold card stock, posters, signs and frames

CONVENIENCE


Positive tension easily holds trays up



RUBBER SPACERS

Two Rubber spacers hold extra weight


MR1824D



Tensor™ Series drying and storage racks feature a positive locking mechanism, called Original TrayLock, which holds the shelf firmly in place after it is lifted to adjust or move substrates. With four casters for easy mobility, the Tensor™ Series is invaluable in organizing production under the most restrictive shop or classroom configurations.

The double-sided configuration (as seen in the MR1824D), provides twice the drying and storage area.

HEAVY-DUTY




The ultimate industrial drying and storage rack, our heavy-duty Rack-It™ Series line is designed to provide easy and sturdy storage. Decades of product refinement and industry expertise have culminated in this elevated rack. Every element of the heavy-duty shelves makes loading and unloading materials a breeze.

- » **Welded steel construction does not warp and provides adequate strength to heavy materials like metal or frames**
- » **Powder coated**
- » **Steel bumpers**
- » **Adjustable shelf tension lift**
- » **Models with 1.00" (2.5cm) or 2.00" (5cm) spacing between shelves available**


10

OPTIONS & ACCESSORIES

- Extra welded bumper for additional shelf support
- Extra center brace on smaller models
- Shelf extenders
- Spring safety covers
- Rack assembly
- Tandem rack kit assembly



SAFETY
Optional safety sleeve for springs



STABILITY
Center brace and additional bumper support is standard with largest two models


DR-32-50
1.00" (2.5cm)
Shelf Spacing



SECURE
Ideally placed
supports prevent
substrates from falling
from the rear



SPRINGS
Individual spring
tension



**STEEL
BUMPERS**
Outside bumper
position maximizes
shelf space

DR-50-50-25



2.00" (5cm) Shelf Spacing

Rack-It™ heavy-duty units also come with non-warping shelves spaced at 2.00" (5cm) intervals (see Model DR-50-50-25, shown on left). The powder-coated shelf finish assures rust- and solvent-resistant performance for years of service.

For baking applications, heat-resistant models are available.

TANDEM KITS

A convenient new Tandem Rack Kit option allows users to turn two Heavy-Duty Drying and Storage Racks of the same size, into a fully functional side-by-side larger unit. Tandem Racks can then be used with large-format graphics and other oversized materials.

Printers working with large-format graphics such as banners, posters, and signage can face logistical challenges drying, moving, and storing these substrates within their facilities.

AWT's Tandem Rack Kit lets you expand your existing racks to meet these needs on a job-by-job basis. They can then be easily reconfigure back into single units at any time.

- » Turn two existing racks of the same size into a side-by-side unit for handling large format graphics
- » These units can then be easily moved from one location to another
- » The Tandem Racks can also be reconfigured again from multiple units back to single racks





TANDEM RACK KIT

Two DR-36-50 racks combined to create a larger unit for large-format graphics.



HEAT RESISTANT

HEAT RESISTANT

DR-32-50HR
1.00" (2.5cm)
Shelf Spacing



14



Rack-It™ Heat-Resistant heavy-duty drying racks all-steel construction and heat-resistant components deliver outstanding durability, even in harsh production environments - up to 500°F(260°C). To facilitate quick evaporation, Rack-It™ Heat-Resistant heavy-duty racks come with non-warping shelves. The powder-coated shelf finish offers rust- and solvent-resistant protection for years of trouble-free service.

- » **Rated for up to 500°F (260°C)**
- » **Especially suited for industrial drying, curing, or baking**
- » **Models with 1.00 (2.5cm) or 2.00" (5cm) spacing between shelves available**
- » **Shelf sizes from 22.00 x 32.00" (56 x 81 cm) to 52.00 x 80.00" (132x 203cm) available**



STORAGE SECURED

Rolling storage carts are ideal for post-curing storage of POP displays and other rigid substrates, increasing efficiency in your workshop. These rolling storage carts are also an excellent choice for use as a screen printing frame drying rack, rolling poster rack, or as storage carts for large and heavy stock.




FRAME-MATE™

Store frames in a mobile, easily-accessible cart crafted to accommodate a large range of frame sizes. Compact, sturdy construction means your shop will always have quick access to the frames in use while they are kept safe within the welded steel slots. Triangular slot design provides extra cart stability and prevents objects from tipping.


- » Open vertical wire dividers increase visibility
- » Store and move frames, pallets, or any rigid substrate
- » All-steel construction provide years of reliable service
- » Rust-resistant finish
- » Used with wood, aluminum, or roller frames
- » Recessed lip allows oversized storage up to 50.00 x 60.00" (127 x 152cm) OD
- » Frees-up floor space and improves setup times



RF-5060



SHELVES
Outside "lip" maximizes
usable shelf space



DURABILITY
All-steel construction



STORAGE
Stores wood, aluminum,
and any rigid material
up to 2.00" (5cm) thick

ROLLIN' SCREEN RACKER™

RSR-31



*Shown with
optional
frames*




For delicate materials Saturn has an innovative drying and storage solution: Take out the shelves! This rack consists of brackets which securely hold frames or rigid parts and materials in place while they dry, providing you with the peace of mind that your projects will look exactly the same when you take them out as when you put them in.

- » Easily move multiple items from place to place
- » Units allow adjustable width
- » Welded steel construction
- » Non-scratching acrylic brackets provide an open-air drying solution for delicate materials.

OPTIONS

- Rack assembly
- Optional Aluminum Brackets are designed to hold heavier items



DC-3038



DRY-IT™

To elevate your print shop to the next level, use the Dry-It™ Screen Drying Cabinet. Designed for the highest-quality printing specifications, the well-insulated, fully-enclosed drying cabinet prevents pinholes and other flaws from occurring. Filtered heated airflow reduces drying time and increases productivity.



DRYING CABINETS

- » Horizontal and vertical configurations available
- » Allows up to 10 shelves
- » Easy access to air filters
- » Digital temperature control
- » Standard temperature of up to 120°F (49°C)
- » Heavy-duty casters for mobility

OPTIONS

- Stainless steel lining prevents rust and oxidation
- Double-sided brackets for smaller frames available for horizontal models
- Perforated shelf trays for smaller frames available for horizontal model
- High temperature models available

DC-5259V



EFFECTIVE

Fully insulated chamber


21

SHELVES

Maximum part width
2.50" (6cm)

RACK DIMENSIONS

22



To make sure you select a rack that fits your needs as well as the physical space you have to work with, we've compiled a list of dimensions for your convenience.

When looking at the diagram above, you will notice three different measurements: H1, H2, and H3.

H1: The unit's height with all shelves in their horizontal position, if applicable.

H2: Represents the maximum working height of the unit when the top shelf is raised completely


H3: The height of the stop bracket used to keep the shelf from traveling too far on our heavy duty industrial models. On mid-range and lightweight racks (DR-16-8 through DR-80-50), this measurement coincides with the angle of shelf elevation in its maximum safe position.

If you are unsure about which rack is best for your particular application, contact AWT and we'll be glad to assist you with your selection process.

AWT DRYING & STORAGE RACK DIMENSIONS

| CATALOG NO. | LENGTH | WIDTH | HEIGHT | | |
|--------------|-----------------|----------------------|----------------|----------------|----------------|
| | | | H1 | H2 | H3 |
| DR-16-13 | 21.00" (53cm) | 11.25 (53cm) | 43.25" (110cm) | N/A | N/A |
| DR-16-25 | 17.25" (44cm) | 17.50" (44cm) | 30.75" (78cm) | N/A | N/A |
| DR-18-25 | 19.25" (49cm) | 12.00" (30cm) | 28.25" (72cm) | N/A | N/A |
| DR-18-30 | 19.50" (49cm) | 17.25" (44cm) | 36.25" (92cm) | N/A | N/A |
| DR-18-30WD | 19.25" (49cm) | 17.25" (44cm) | 39.75" (101cm) | N/A | N/A |
| DR-18-50 | 19.00" (46cm) | 22.25" (57cm) | 30.75" (78cm) | N/A | N/A |
| DR-18-100 | 19.00" (48cm) | 22.00" (56cm) | 63.00" (160cm) | N/A | N/A |
| DR-24-40A | 25.00" (64cm) | 23.75" (60cm) | 44.25" (112cm) | 53.00" (135cm) | N/A |
| DR-24-50 | 25.00" (64cm) | 23.50" (60cm) | 54.25" (137cm) | 63.00" (160cm) | N/A |
| DR-24-80 | 25.00" (64cm) | 39.50" (100cm) | 44.00" (112cm) | 53.00" (135cm) | N/A |
| DR-24-100 | 25.00" (64cm) | 39.50" (100cm) | 54.25" (137cm) | 63.00" (160cm) | N/A |
| DR-26-40 | 27.00" (69cm) | 26.25" (66cm) | 44.25" (112cm) | 53.00" (135cm) | N/A |
| DR-26-50 | 27.00" (69cm) | 26.25" (66cm) | 54.25" (137cm) | 63.00" (160cm) | N/A |
| DR-26-80 | 27.00" (69cm) | 44.75" (113cm) | 44.00" (112cm) | 53.00" (135cm) | N/A |
| DR-26-100 | 27.00" (69cm) | 44.75" (113cm) | 54.25" (137cm) | 63.00" (160cm) | N/A |
| MR1824 | 25.00" (64cm) | 23.50" (60cm) | 44.00" (112cm) | 53.00" (135cm) | N/A |
| MR182450 | 25.00" (64cm) | 23.50" (60cm) | 54.25" (137cm) | 63.00" (160cm) | N/A |
| MR1824D | 39.50" (100cm) | 25.00" (64cm) | 44.00" (112cm) | 53.00" (135cm) | N/A |
| MR1824100D | 39.50" (100cm) | 25.00" (64cm) | 54.25" (137cm) | 63.00" (160cm) | N/A |
| MR2026 | 27.00" (69cm) | 26.50" (67cm) | 44.25" (112cm) | 53.00" (135cm) | N/A |
| MR202650 | 27.00" (69cm) | 26.50" (67cm) | 54.25" (137cm) | 63.00" (160cm) | N/A |
| MR2026D | 44.75" (113cm) | 27.00" (69cm) | 44.00" (112cm) | 53.00" (135cm) | N/A |
| MR2026100D | 45.00" (114cm) | 27.00" (69cm) | 54.25" (137cm) | 63.00" (160cm) | N/A |
| DR-32-40 | 35.25" (90cm) | 28.50" (72cm) | 48.75" (124cm) | 66.75" (169cm) | 59.75" (151cm) |
| DR-32-50 | 35.25" (90cm) | 28.50" (72cm) | 60.25" (153cm) | 78.50" (199cm) | 70.50" (179cm) |
| DR-36-40 | 38.50" (98cm) | 32.50" (83cm) | 48.75" (123cm) | 71.00" (180cm) | 59.50" (151cm) |
| DR-36-50 | 38.50" (98cm) | 32.50" (83cm) | 60.00" (152cm) | 81.50" (207cm) | 71.00" (180cm) |
| DR-46-40 | 49.75" (124cm) | 36.00" (91cm) | 49.00" (124cm) | 72.50" (184cm) | 59.75" (151cm) |
| DR-48-40 | 51.50" (123cm) | 37.00" (94cm) | 49.00" (124cm) | 73.75" (187cm) | 59.75" (151cm) |
| DR-48-50 | 51.50" (123cm) | 37.00" (94cm) | 60.00" (152cm) | 85.25" (216cm) | 71.00" (180cm) |
| DR-50-50 | 53.50" (136cm) | 43.50" (111cm) | 60.00" (152cm) | 89.50" (227cm) | 71.00" (180cm) |
| DR-55-50 | 58.25" (148cm) | 48.00" (122cm) | 59.75" (152cm) | 93.00" (236cm) | 71.00" (180cm) |
| DR-68-50 | 71.00" (185cm) | 56.00" (142cm) | 60.25" (153cm) | 93.50" (237cm) | 72.75" (185cm) |
| DR-80-50 | 83.25" (211cm) | 58.50" (148cm) | 60.25" (153cm) | 98.25" (249cm) | 72.75" (185cm) |
| RF-5060 | 49.00" (125cm) | 30.25" (77cm) | 42.50" (108cm) | NA | NA |
| RSR-31 | 31.00" (79cm) | 14.50" (37cm) | 61.50" (156cm) | N/A | N/A |
| RSR-31A | 31.00" (79cm) | Refer to Spec. Chart | 61.50" (156cm) | N/A | N/A |
| RSR-40 | 40.00" (102cm) | Refer to Spec. Chart | 74.50" (189cm) | N/A | N/A |
| RSR-40A | 40.00" (102cm) | Refer to Spec. Chart | 74.50" (189cm) | N/A | N/A |
| DC-3038 | 48.00" (122cm) | 38.50" (98cm) | 46.00" (117cm) | NA | NA |
| DC-3038-220 | 48.00" (122cm) | 38.50" (98cm) | 46.00" (117cm) | N/A | N/A |
| DC-5259-220 | 74.25" (189cm) | 50.25" (128cm) | 64.50" (164cm) | N/A | N/A |
| DC-5473-220 | 90.00" (228cm) | 72.25" (184cm) | 45.50" (116cm) | N/A | N/A |
| DC-7698-220 | 114.50" (291cm) | 97.50" (248cm) | 46.00" (117cm) | N/A | N/A |
| DC-5259V-220 | 74.25" (188cm) | 50.25" (128cm) | 64.50" (164cm) | N/A | N/A |

SPECIFICATIONS



DR-18 SERIES

| CATALOG NO. | DESCRIPTION | LENGTH | WIDTH | SHELF SIZES | NO. OF SHELVES | MESH OPENINGS |
|-------------|----------------------------------------|---------------|---------------|----------------------------|----------------|---------------------------|
| DR-18-30 | Tabletop, single-sided | 19.25" (49cm) | 17.25" (43cm) | 12.50 x 18.00" (32 x 46cm) | 30 | 6.00 x 10.00" (15 x 25cm) |
| DR-18-30WD | Door hanging | 19.25" (49cm) | 17.25" (43cm) | 12.50 x 18.00" (32 x 46cm) | 30 | 6.00 x 10.00" (15x 25cm) |
| DR-18-50 | Tabletop, double-sided | 19.00" (48cm) | 22.25" (57cm) | 11.00 x 18.00" (28 x 46cm) | 50 | 6.00 x 10.00" (15 x 25cm) |
| DR-18-100 | Floor model, Double sided, Portable | 19.00" (48cm) | 22.25" (57cm) | 10.00 x 18.00" (30 X 46cm) | 100 | 6.00 x 10.00" (15 x 25cm) |

VERSA-RACK™ *

| CATALOG NO. | DESCRIPTION | LENGTH | WIDTH | SHELF SIZES | NO. OF SHELVES | MESH OPENINGS |
|-------------|--------------------------------------------------|---------------|---------------|----------------------------|----------------|---------------------------|
| DR-16-13 | Single-sided, vertical or horizontal with wheels | 21.00" (53cm) | 11.25" (53cm) | 7.50 x 19.00" (19 x 48cm) | 13 | N/A |
| DR-16-25 | Tabletop, single-sided | 17.25" (44cm) | 17.50" (44cm) | 12.50 x 16.00" (32 x 41cm) | 25 | 4.50 x 12.25" (11 x 31cm) |

* All racks ship assembled via ground

24

STACK-RACK™ *

| CATALOG NO. | DESCRIPTION | LENGTH | WIDTH | SHELF SIZES | NO. OF SHELVES | MESH OPENINGS |
|-------------|------------------------------------------|---------------|---------------|----------------------------|----------------|--------------------------|
| DR-18-25 | Lightweight, modular drying-storage rack | 19.25" (49cm) | 12.00" (30cm) | 12.00 x 18.50" (31 x 47cm) | 25 | 6.00 x 5.75" (15 x 14cm) |

* Racks may accommodate larger objects, depending on size, shape and weight

STACK-RACK™ HARDWARE KIT (sold separately) *

| CATALOG NO. | DESCRIPTION | COMPONENTS |
|-------------|---------------------------|----------------------------------------|
| RCA-1825 | Hardware kit with casters | 4 Casters, 4 Nuts, 4 Bolts, 3 wrenches |

MID-RANGE*

| CATALOG NO. | LENGTH | WIDTH | SHELF SIZES | NO. OF SHELVES | MAX. SUBSTRATE SIZES |
|------------------|----------------|---------------|----------------------------|----------------|----------------------------|
| DR-24-40A | 25.00" (64cm) | 23.50" (60cm) | 18.00 x 24.00" (46x 61cm) | 40 | 17.50 x 23.50" (45 x 60cm) |
| DR-24-50 | 25.00" (64cm) | 23.50" (60cm) | 18.00 x 24.00" (46x 61cm) | 50 | 17.50 x 23.50" (45 x 60cm) |
| DR-24-80 | 39.50" (100cm) | 25.00" (64cm) | 18.00 x 24.00" (46x 61cm) | 80 | 17.50 x 23.50" (45 x 60cm) |
| DR-24-100 | 39.50" (100cm) | 25.00" (64cm) | 18.00 x 24.00" (46x 61cm) | 50 | 17.50 x 23.50" (45 x 60cm) |
| DR-26-40 | 27.00" (69cm) | 26.50" (67cm) | 20.00 x 26.00" (51 x 66cm) | 40 | 19.50 x 25.50" (50 x 65cm) |
| DR-26-50 | 27.00" (69cm) | 26.50" (67cm) | 20.00 x 26.00" (51 x 66cm) | 50 | 19.50 x 25.50" (50 x 65cm) |
| DR-26-80 | 44.75" (113cm) | 27.00" (69cm) | 20.00 x 26.00" (51 x 66cm) | 80 | 19.50 x 25.50" (50 x 65cm) |
| DR-26-100 | 45.00" (114cm) | 27.00" (69cm) | 20.00 x 26.00" (51 x 66cm) | 100 | 19.50 x 25.50" (50 x 65cm) |

* All racks under 150 lbs. ship ground

TENSOR™ SERIES*†

| CATALOG NO. | LENGTH | WIDTH | SHELF SIZE | NO. OF SHELVES | MAX. SUBSTRATE SIZES |
|-------------------|----------------|---------------|----------------------------|----------------|----------------------------|
| MR1824 | 25.00" (64cm) | 23.50" (60cm) | 18.00 x 24.00" (46x 61cm) | 40 | 17.50 x 23.50" (45 x 60cm) |
| MR182450 | 25.00" (64cm) | 23.50" (60cm) | 18.00 x 24.00" (46x 61cm) | 50 | 17.50 x 23.50" (45 x 60cm) |
| MR1824D | 39.50" (100cm) | 25.00" (64cm) | 18.00 x 24.00" (46x 61cm) | 80 | 17.50 x 23.50" (45 x 60cm) |
| MR1824100D | 39.50" (100cm) | 25.00" (64cm) | 18.00 x 24.00" (46x 61cm) | 50 | 17.50 x 23.50" (45 x 60cm) |
| MR2026 | 27.00" (69cm) | 26.50" (67cm) | 20.00 x 26.00" (51 x 66cm) | 40 | 19.50 x 25.50" (50 x 65cm) |
| MR202650 | 27.00" (69cm) | 26.50" (67cm) | 20.00 x 26.00" (51 x 66cm) | 50 | 19.50 x 25.50" (50 x 65cm) |
| MR2026D | 44.75" (113cm) | 27.00" (69cm) | 20.00 x 26.00" (51 x 66cm) | 80 | 19.50 x 25.50" (50 x 65cm) |
| MR2026100D | 45.00" (114cm) | 27.00" (69cm) | 20.00 x 26.00" (51 x 66cm) | 100 | 19.50 x 25.50" (50 x 65cm) |

* All racks under 150 lbs. ship ground

† Tensor Series comes with two rubber bumpers per shelf

HEAVY-DUTY 1.00" (2.5CM) SPACING

| CATALOG NO. | LENGTH | WIDTH | SHELF SIZES | NO. OF SHELVES | MESH OPENINGS |
|---------------------------------|----------------|----------------|------------------------------|----------------|---------------------------|
| DR-32-40 | 35.25" (90cm) | 28.50" (72cm) | 22.00 x 32.00" (57 x 81cm) | 40 | 4.50 x 4.50" (11 x 11cm) |
| DR-32-50 | 35.25" (90cm) | 28.50" (72cm) | 22.00 x 32.00" (57 x 81cm) | 50 | 4.50 x 4.50" (11 x 11cm) |
| DR-36-40 | 38.50" (98cm) | 32.50" (83cm) | 26.00 x 36.00" (67 x 90cm) | 40 | 4.50 x 4.50" (11 x 11cm) |
| DR-36-50 | 38.50" (98cm) | 32.50" (83cm) | 26.00 x 36.00" (67 x 90cm) | 50 | 4.50 x 4.50" (11 x 11cm) |
| DR-48-40 | 51.50" (130cm) | 37.00" (94cm) | 31.00 x 48.00" (79 x 123cm) | 40 | 4.50 x 4.50" (11 x 11cm) |
| DR-48-50 | 51.50" (130cm) | 37.00" (94cm) | 31.00 x 48.00" (79 x 123cm) | 50 | 4.50 x 4.50" (11 x 11cm) |
| DR-50-50 | 53.50" (136cm) | 43.50" (110cm) | 37.00 x 50.00" (95 x 128cm) | 50 | 4.50 x 5.00" (11 x 12cm) |
| DR-55-50 | 48.00" (123cm) | 58.25" (148cm) | 42.00 x 55.00" (107 x 141cm) | 50 | 4.50 x 5.00" (11 x 12cm) |
| DR-68-50 | 71.00" (180cm) | 56.00" (142cm) | 45.00 x 68.00" (116 x 173cm) | 50 | 4.50 x 5.00" (11 x 12cm) |
| DR-80-50 | 83.25" (211cm) | 58.50" (148cm) | 52.00 x 80.00" (132 x 203cm) | 50 | 4.75 x 5.00" (12 x 12cm) |
| LIGHTWEIGHT APPLICATIONS | | | | | |
| DR-46-40 | 48.75" (124cm) | 36.00 (91cm) | 30.00 x 46.00" (76 x 117cm) | 40 | 7.50 x 10.00" (19 x 26cm) |

26

HEAVY-DUTY 2.00" (5CM) SPACING

| CATALOG NO. | LENGTH | WIDTH | SHELF SIZES | NO. OF SHELVES | MESH OPENINGS |
|-------------|----------------|----------------|------------------------------|----------------|--------------------------|
| DR-32-40-20 | 34.75" (88cm) | 28.50" (72cm) | 22.00 x 32.00" (57 x 81cm) | 20 | 4.50 x 4.50" (11 x 11cm) |
| DR-32-50-25 | 34.75" (88cm) | 28.50" (72cm) | 22.00 x 32.00" (57 x 81cm) | 25 | 4.50 x 4.50" (11 x 11cm) |
| DR-36-40-20 | 38.50" (98cm) | 32.50" (83cm) | 26.00 x 36.00" (67 x 90cm) | 40 | 4.50 x 4.50" (11 x 11cm) |
| DR-36-50-25 | 38.50" (98cm) | 32.50" (83cm) | 26.00 x 36.00" (67 x 90cm) | 25 | 4.50 x 4.50" (11 x 11cm) |
| DR-48-40-20 | 51.25" (130cm) | 37.00" (94cm) | 31.00 x 48.00" (79 x 123cm) | 20 | 4.50 x 4.50" (11 x 11cm) |
| DR-48-50-25 | 51.25" (130cm) | 37.00" (94cm) | 31.00 x 48.00" (79 x 123cm) | 25 | 4.50 x 4.50" (11 x 11cm) |
| DR-50-50-25 | 51.25" (130cm) | 43.50" (110cm) | 37.00 x 50.00" (95 x 128cm) | 25 | 4.50 x 5.00" (11 x 12cm) |
| DR-55-50-25 | 58.00" (148cm) | 40.00" (123cm) | 42.00 x 55.00" (107 x 141cm) | 25 | 5.00 x 5.00" (12 x 12cm) |
| DR-68-50-25 | 71.25" (181cm) | 56.00" (142cm) | 45.00 x 68.00" (116 x 173cm) | 25 | 4.50 x 5.00" (11 x 12cm) |
| DR-80-50-25 | 83.25" (211cm) | 58.50" (148cm) | 52.00 x 80.00" (132 x 203cm) | 25 | 4.75 x 5.00" (12 x 12cm) |

NOTE: Specifications are subject to change without notice.

HEAT RESISTANT 1.00" (2.5CM) SPACING *

| CATALOG NO. | LENGTH | WIDTH | SHELF SIZES | NO. OF SHELVES | MESH OPENINGS |
|-------------|----------------|----------------|------------------------------|----------------|--------------------------|
| DR-32-40HR | 35.25" (90cm) | 28.50" (72cm) | 22.00 x 32.00" (57 x 81cm) | 40 | 4.50 x 4.50" (11 x 11cm) |
| DR-32-50HR | 35.25" (90cm) | 28.50" (72cm) | 22.00 x 32.00" (57 x 81cm) | 50 | 4.50 x 4.50" (11 x 11cm) |
| DR-36-40HR | 38.50" (98cm) | 32.50" (83cm) | 26.00 x 36.00" (67 x 90cm) | 40 | 4.50 x 4.50" (11 x 11cm) |
| DR-36-50HR | 38.50" (98cm) | 32.50" (83cm) | 26.00 x 36.00" (67 x 90cm) | 50 | 4.50 x 4.50" (11 x 11cm) |
| DR-48-40HR | 51.50" (130cm) | 37.00" (94cm) | 31.00 x 48.00" (79 x 123cm) | 40 | 4.50 x 4.50" (11 x 11cm) |
| DR-48-50HR | 51.50" (130cm) | 37.00" (94cm) | 31.00 x 48.00" (79 x 123cm) | 50 | 4.50 x 4.50" (11 x 11cm) |
| DR-50-50HR | 53.50" (136cm) | 43.50" (110cm) | 37.00 x 50.00" (95 x 128cm) | 50 | 4.50 x 5.00" (11 x 12cm) |
| DR-55-50HR | 48.00" (123cm) | 58.25" (148cm) | 42.00 x 55.00" (107 x 141cm) | 50 | 4.50 x 5.00" (11 x 12cm) |
| DR-68-50HR | 71.00" (180cm) | 56.00" (142cm) | 45.00 x 68.00" (116 x 173cm) | 50 | 4.50 x 5.00" (11 x 12cm) |
| DR-80-50HR | 83.25" (211cm) | 58.50" (148cm) | 52.00 x 80.00" (132 x 203cm) | 50 | 4.75 x 5.00" (12 x 12cm) |

HEAT RESISTANT 2.00" (5CM) SPACING *

| CATALOG NO. | LENGTH | WIDTH | SHELF SIZES | NO. OF SHELVES | MESH OPENINGS |
|---------------|----------------|----------------|------------------------------|----------------|--------------------------|
| DR-32-40-20HR | 34.75" (88cm) | 28.50" (72cm) | 22.00 x 32.00" (57 x 81cm) | 20 | 4.50 x 4.50" (11 x 11cm) |
| DR-32-50-25HR | 34.75" (88cm) | 28.50" (72cm) | 22.00 x 32.00" (57 x 81cm) | 25 | 4.50 x 4.50" (11 x 11cm) |
| DR-36-40-20HR | 38.50" (98cm) | 32.50" (83cm) | 26.00 x 36.00" (67 x 90cm) | 40 | 4.50 x 4.50" (11 x 11cm) |
| DR-36-50-25HR | 38.50" (98cm) | 32.50" (83cm) | 26.00 x 36.00" (67 x 90cm) | 25 | 4.50 x 4.50" (11 x 11cm) |
| DR-48-40-20HR | 51.25" (130cm) | 37.00" (94cm) | 31.00 x 48.00" (79 x 123cm) | 20 | 4.50 x 4.50" (11 x 11cm) |
| DR-48-50-25HR | 51.25" (130cm) | 37.00" (94cm) | 31.00 x 48.00" (79 x 123cm) | 25 | 4.50 x 4.50" (11 x 11cm) |
| DR-50-50-25HR | 51.25" (130cm) | 43.50" (110cm) | 37.00 x 50.00" (95 x 128cm) | 25 | 4.50 x 5.00" (11 x 12cm) |
| DR-55-50-25HR | 58.00" (148cm) | 40.00" (123cm) | 42.00 x 55.00" (107 x 141cm) | 25 | 5.00 x 5.00" (12 x 12cm) |
| DR-68-50-25HR | 71.25" (181cm) | 56.00" (142cm) | 45.00 x 68.00" (116 x 173cm) | 25 | 4.50 x 5.00" (11 x 12cm) |
| DR-80-50-25HR | 83.25" (211cm) | 58.50" (148cm) | 52.00 x 80.00" (132 x 203cm) | 25 | 4.75 x 5.00" (12 x 12cm) |

* Weight includes skid. Skid weights may vary and are subject to change.

FRAME-MATE™

| CATALOG NO. | LENGTH | WIDTH | NO. OF SLOTS | SPACE BETWEEN SLOTS |
|-------------|----------------|---------------|--------------|---------------------|
| RF-5060 | 49.00" (125cm) | 30.25" (77cm) | 12 | 2.25" (6cm) |

ROLLIN' SCREEN RACKER™

| CATALOG NO. | DESCRIPTION | LENGTH | MIN. WIDTH | MAX WIDTH | NO. OF SHELVES |
|-------------|--------------------------------------------------------------------------|----------------|---------------|----------------|----------------|
| RSR-31 | Horizontal screen frame storage rack with <i>acrylic</i> shelf brackets | 31.00" (79cm) | 14.50" (37cm) | 45.50" (116cm) | 20 |
| RSR-31A | Horizontal screen frame storage rack with <i>aluminum</i> shelf brackets | 31.00" (79cm) | 14.50" (37cm) | 45.50" (116cm) | 20 |
| RSR-40 | Horizontal screen frame storage rack with <i>acrylic</i> shelf brackets | 40.00" (102cm) | 14.50" (37cm) | 45.50" (116cm) | 25 |
| RSR-40A | Horizontal screen frame storage rack with <i>aluminum</i> shelf brackets | 40.00" (102cm) | 14.50" (37cm) | 45.50" (116cm) | 25 |

DRY-IT™ HORIZONTAL

| CATALOG NO. | LENGTH | WIDTH | NUMBER OF DOORS | MAXIMUM FRAME O.D. | ELECTRICAL |
|--------------------|-----------------|----------------|-----------------|------------------------------|--------------------|
| DC-3038 | 48.00" (122cm) | 38.50" (98cm) | Single Door | 30.00 x 38.00" (76 x 97cm) | 115V, 1Ph, 60Hz |
| DC-3038-220 | 48.00" (122cm) | 38.50" (98cm) | Single Door | 30.00 x 38.00" (76 x 97cm) | 220V, 1Ph, 50/60Hz |
| DC-5259-220 | 74.25" (189cm) | 50.25" (128cm) | Double Door | 52.00 x 59.00" (132 x 150cm) | 220V, 1Ph, 50/60Hz |
| DC-5473-220 | 90.00" (228cm) | 72.25" (184cm) | Double Door | 54.00 x 73.00" (137 x 186cm) | 220V, 1Ph, 50/60Hz |
| DC-7698-220 | 114.50" (291cm) | 97.50" (248cm) | Double Door | 76.00 x 98.00" (193 x 249cm) | 220V, 1Ph, 50/60Hz |

DRY-IT™ VERTICAL

| CATALOG NO. | LENGTH | WIDTH | NUMBER OF DOORS | MAXIMUM FRAME O.D. | ELECTRICAL |
|---------------------|----------------|----------------|-----------------|------------------------------|--------------------|
| DC-5259V-220 | 74.25" (188cm) | 50.25" (128cm) | Double Door | 52.00 x 59.00" (132 x 150cm) | 220V, 1Ph, 50/60Hz |



A Division of the AWT World Trade Group



4321 N. Knox Ave.
Chicago IL, 60641



773.777.7100



dryingandstorageracks.com



sales@dryingandstorageracks.com